

10/579,154

	Type	L #	Hits	Search Text	DBs
7	IS&R	L7	1765	((347/20) or (347/45) or (347/46)).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
8	IS&R	L8	4170	((347/47) or (347/54) or (347/55)).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
9	BRS	L9	52755	electrode with ratio	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
10	BRS	L10	3956	9 with width	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
7	2007/09/17 10:06			
8	2007/09/17 10:07			
9	2007/09/17 10:08			
10	2007/09/17 10:08			

	Type	L #	Hits	Search Text	DBs
11	BRS	L11	224	10 with (control or counter)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
12	BRS	L12	6	11 and "347"/\$.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
11	2007/09/17 10:08			
12	2007/09/17 10:08			